

stress test

1. 다음 등식이 성립할 때, $x + y + z$ 의 값을 구하여라.

$$\left(\frac{a^3 b^y c^2}{2a^x}\right)^3 = za^6 b^{12} c^6$$

[배점 2, 하중]

▶ 답 :

▶ 정답 : $\frac{41}{8}$

해설

$$\frac{a^9 b^{3y} c^6}{8a^{3x}} = za^6 b^{12} c^6$$

$$z = \frac{1}{8}, y = 4, x = 1$$

$$x + y + z = \frac{41}{8}$$

2. $(a^2 b^x)^3 \div a^y b^3 = a^5 b^9$ 일 때, $x + y$ 의 값은?

[배점 2, 하중]

- ① 2 ② 3 ③ 4 ④ 5 ⑤ 6

해설

$$(a^2 b^x)^3 \div a^y b^3 = a^5 b^9$$

$$a^{6-y} b^{3x-3} = a^5 b^9$$

$$6 - y = 5 \quad \therefore y = 1$$

$$3x - 3 = 9 \quad \therefore x = 4$$

$$\therefore x + y = 5$$

3. $-(2x^2 - ax + 5) + (4x^2 - 3x + b) = cx^2 + 6x + 7$ (단, a, b, c 는 상수)를 만족하는 a, b, c 에 대하여 $2a + b - c$ 의 값을 구하여라. [배점 2, 하중]

▶ 답 :

▶ 정답 : 28

해설

$$\begin{aligned} & -(2x^2 - ax + 5) + (4x^2 - 3x + b) \\ &= -2x^2 + ax - 5 + 4x^2 - 3x + b \\ &= 2x^2 + (a - 3)x - 5 + b \\ &= cx^2 + 6x + 7 \\ &a - 3 = 6 \\ &a = 9 \\ &-5 + b = 7 \\ &b = 12 \\ &c = 2 \\ &\therefore 2a + b - c = 18 + 12 - 2 = 28 \end{aligned}$$

4. $x = 2, y = -3$ 일 때, $2x + 5y - (3y - 3x)$ 를 계산하면? [배점 2, 하중]

- ① -8 ② -4 ③ 1 ④ 2 ⑤ 4

해설

$$(준식) = 5x + 2y = 5 \times 2 + 2 \times (-3) = 4$$

5. $\frac{(x^2y)^3}{(xy^2)^m} = \frac{x^n}{y^5}$ 일 때, $m - n$ 의 값은?

[배점 3, 하상]

- ① -2 ② 2 ③ 4 ④ 5 ⑤ 6

해설

$$\frac{(x^2y)^3}{(xy^2)^m} = \frac{x^6y^3}{x^m y^{2m}} = \frac{x^{6-m}}{y^{2m-3}} = \frac{x^n}{y^5}$$

$$6 - m = n, 2m - 3 = 5$$

$$\therefore m = 4, n = 2$$

$$\therefore m - n = 2$$

6. 다음 식을 계산한 결과가 $\frac{3}{a}$ 이 되는 것은?

[배점 3, 하상]

- ① $15a^2b \div \left(-\frac{1}{3}ab\right)$
 ② $\left(\frac{2}{5}a^2\right)^2 \div 25a^3$
 ③ $\frac{3}{4}a^2 \div \left(-\frac{3}{2}a\right)^2$
 ④ $-4a^2b \div \left(\frac{2}{3}ab^2\right)$
 ⑤ $\left(-\frac{9}{7}a^2\right) \div \left(-\frac{3}{7}a^3\right)$

해설

$$\textcircled{1} 15a^2b \div \left(-\frac{1}{3}ab\right) = 15a^2b \times \left(\frac{-3}{ab}\right) = -45a$$

$$\textcircled{2} \left(\frac{2}{5}a^2\right)^2 \div 25a^3 = \frac{4a^4}{25} \times \frac{1}{25a^3} = \frac{4a}{625}$$

$$\textcircled{3} \frac{3}{4}a^2 \div \left(-\frac{3}{2}a\right)^2 = \frac{3a^2}{4} \times \frac{4}{9a^2} = \frac{1}{3}$$

$$\textcircled{4} -4a^2b \div \left(\frac{2}{3}ab^2\right) = -4a^2b \times \frac{3}{2ab^2} = \frac{-6a}{b}$$

$$\textcircled{5} \left(-\frac{9}{7}a^2\right) \div \left(-\frac{3}{7}a^3\right) = \left(-\frac{9a^2}{7}\right) \times \left(-\frac{7}{3a^3}\right) = \frac{3}{a}$$

7. $() - (3x^2 - y) = 5x^2 + 2y$ 에서 $()$ 안에 알맞은 식은?

[배점 3, 하상]

- ① $-8x^2 - 3y$ ② $-8x^2 - y$
 ③ $-2x^2 + 3y$ ④ $8x^2 + y$
 ⑤ $8x^2 + 2y$

해설

$$\begin{aligned} () &= 5x^2 + 2y + (3x^2 - y) \\ &= 8x^2 + y \end{aligned}$$

8. $(3a + 4b)(2a - b)$ 의 전개식에서 ab 의 계수는?

[배점 3, 하상]

- ① -3 ② 2 ③ 5 ④ 6 ⑤ 8

해설

$$\begin{aligned} & 3a \times 2a + 3a \times (-b) + 4b \times 2a + 4b \times (-b) \\ &= 6a^2 - 3ab + 8ab - 4b^2 \\ &= 6a^2 + 5ab - 4b^2 \end{aligned}$$

따라서 ab 의 계수는 5이다.

9. 다음은 곱셈 공식 $(a+b)^2 = a^2 + 2ab + b^2$ 을 이용하여 $(2x+y-3)^2$ 을 전개한 것이다. () 안을 알맞게 채운 것은?

$$\begin{aligned} & 2x + y = A \text{로 놓으면, 주어진 식은} \\ & (2x + y - 3)^2 = (A - 3)^2 = (\ominus) - 6A + 9 \\ & \text{이제 } A \text{ 대신에 } 2x + y \text{를 대입하면} \\ & (\text{준식}) = (\ominus) - 6(2x + y) + 9 \\ & \quad = 4x^2 + (\ominus) + y^2 - 12x - 6y + 9 \end{aligned}$$

[배점 3, 하상]

- ① $\ominus A^2$ ② $\ominus A^3$
 ③ $\ominus (x+y)^2$ ④ $\ominus (x+2y)^3$
 ⑤ $\ominus 3xy$

해설

$$\begin{aligned} & 2x + y = A \text{로 놓으면, 주어진 식은} \\ & (2x + y - 3)^2 = (A - 3)^2 \\ &= A^2 - 6A + 9 \\ & \text{이제 } A \text{ 대신에 } 2x + y \text{를 대입하면} \\ &= (2x + y)^2 - 6(2x + y) + 9 \\ &= 4x^2 + 4xy + y^2 - 12x - 6y + 9 \\ &\therefore \ominus = A^2, \quad \ominus = (2x + y)^2, \quad \ominus = 4xy \end{aligned}$$

10. 다음 안에 알맞은 수를 써넣어라.

$$\left(-3x \text{ } y^2\right)^3 = -27x^{12}y \text{ } \quad [\text{배점 3, 중하}]$$

▶ 답 :

▶ 답 :

▷ 정답 : 4

▷ 정답 : 6

해설

$$\begin{aligned} & x^{3 \times \text{ }} = x^{12} \\ & \therefore \text{ } = 4 \\ & y^{2 \times 3} = y^{\text{ }} \\ & \therefore \text{ } = 6 \end{aligned}$$

11. 다음 등식이 성립할 때, $a + b + c$ 의 값을 구하여라.

$$\left(\frac{2y^2z^4}{x^a}\right)^3 = \frac{by^cz^{12}}{x^{12}} \quad [\text{배점 3, 중하}]$$

▶ 답 :

▷ 정답 : 18

해설

$$\begin{aligned} & \left(\frac{2y^2z^4}{x^a}\right)^3 = \frac{8y^6z^{12}}{x^{3a}} = \frac{by^cz^{12}}{x^{12}} \\ & a = 4, \quad b = 8, \quad c = 6 \\ & a + b + c = 18 \end{aligned}$$

12. $128^{2a-1} \div 16^{a+2} = 8^{3a-4}$ 를 만족하는 a 의 값을 구하여라. [배점 3, 중하]

▶ 답:

▷ 정답: 3

해설

$$\begin{aligned}(2^7)^{2a-1} \div (2^4)^{a+2} &= (2^3)^{3a-4} \\ 7(2a-1) - 4(a+2) &= 3(3a-4) \\ 14a - 7 - 4a - 8 &= 9a - 12 \\ 10a - 9a &= -12 + 15 \\ \therefore a &= 3\end{aligned}$$

13. 안에 들어갈 가장 간단한 식을 구하여라.

$$x + 4y - \{2x - (3y - \square + y) + y\} = 5x - (3x + 2y)$$

[배점 3, 중하]

▶ 답:

▷ 정답: $-3x + 9y$

해설

$$\begin{aligned}x + 4y - \{2x - (3y - \square + y) + y\} \\ = x + 4y - (2x - 3y + \square - y + y) \\ = x + 4y - (2x - 3y + \square) \\ = -x + 7y - \square \\ -x + 7y - \square = 5x - 3x - 2y = 2x - 2y \\ \therefore \square = -x + 7y - 2x + 2y = -3x + 9y\end{aligned}$$

14. 수진이네 반에서 매달 실시하는 수학 퀴즈 대회는 문제를 맞히는 모든 학생에게 도서 상품권을 준다고 한다. 다음은 이번 달 수학 퀴즈 문제에 대하여 5 명의 학생들이 답을 적어 제출한 것이다. 이때 도서상품권을 받을 사람은 누구인지 말하여라.

문제) $3x - 2y - \{x - (7y - 6x) + 5\} = ax + by + c$
일 때, $a - b + c$ 의 값을 구하여라.

서준 : 14, 성진 : 10, 유진 : -10, 명수 : -14,
형돈 : 12

[배점 3, 중하]

▶ 답:

▷ 정답: 명수

해설

$$\begin{aligned}3x - 2y - \{x - (7y - 6x) + 5\} \\ = 3x - 2y - (x - 7y + 6x + 5) \\ = 3x - 2y - (7x - 7y + 5) \\ = 3x - 2y - 7x + 7y - 5 \\ = -4x + 5y - 5\end{aligned}$$

이므로 $a = -4$, $b = 5$, $c = -5$ 이다.

따라서 $a - b + c = -4 - 5 + (-5) = -14$ 이다.

15. $(4xy - x^3y - 3xy^2) \div \frac{1}{2}xy$ 를 간단히 할 때, 상수항을 포함한 모든 계수의 합을 구하여라. [배점 3, 중하]

▶ 답:

▷ 정답: 0

해설

$$\begin{aligned} & (4xy - x^3y - 3xy^2) \div \frac{1}{2}xy \\ &= (4xy - x^3y - 3xy^2) \div \frac{xy}{2} \\ &= (4xy - x^3y - 3xy^2) \times \frac{2}{xy} \\ &= 8 - 2x^2 - 6y \end{aligned}$$

x^2 의 계수 -2 , y 의 계수 -6 , 상수항 8
이들의 합을 구하면 $-2 - 6 + 8 = 0$ 이다.

16. 다음 보기는 $vt = s + a$ 를 [] 안의 문자에 관하여 풀 것이다. 옳은 것을 모두 골라라.

보기

$$\begin{array}{ll} \textcircled{㉠} s = vt + a [s] & \textcircled{㉡} a = vt - s [a] \\ \textcircled{㉢} v = \frac{s+a}{t} [v] & \textcircled{㉣} t = \frac{v}{s+a} [t] \end{array}$$

[배점 3, 중하]

▶ 답:

▶ 정답: ㉡, ㉣

해설

$$\begin{aligned} & \textcircled{㉠} vt = s + a \\ & \therefore s = vt - a \\ & \textcircled{㉡} vt = s + a \\ & \therefore a = vt - s \\ & \textcircled{㉢} vt = s + a \\ & \therefore v = \frac{s+a}{t} \\ & \textcircled{㉣} vt = s + a \\ & \therefore t = \frac{s+a}{v} \end{aligned}$$

17. $2^{x+2} + 2^x = 160$ 일 때, x 의 값을 구하여라.

[배점 4, 중중]

▶ 답:

▶ 정답: 5

해설

$$\begin{aligned} 2^{x+2} + 2^x &= 5 \times 2^x = 160 \\ 2^x &= 32 = 2^5 \\ \therefore x &= 5 \end{aligned}$$

18. 다음 중에서 [] 안에 들어갈 알맞은 식이 같은 것끼리 짝지은 것을 모두 골라라. (정답 2개)

$$\begin{array}{ll} \textcircled{㉠} 6x^2 \times \square = 24x^3 & \\ \textcircled{㉡} (2x)^2 \times \square = 8x^3 & \\ \textcircled{㉢} 16x^9 \div \square = 4x^8 & \\ \textcircled{㉣} 2x^9 \div x^7 \div \square = x & \end{array}$$

[배점 4, 중중]

① ㉠, ㉡

② ㉠, ㉢

③ ㉡, ㉣

④ ㉡, ㉣

⑤ ㉢, ㉣

해설

$$\textcircled{㉠} \square = 24x^3 \div 6x^2 = 4x$$

$$\textcircled{㉡} \square = 8x^3 \div (2x)^2 = 8x^3 \div 4x^2 = 2x$$

$$\textcircled{㉢} \square = 16x^9 \div 4x^8 = \frac{16x^9}{4x^8} = 4x$$

$$\textcircled{㉣} 2x^9 \div x^7 \div \square = x \text{ 이므로 } 2x^2 \div \square = x$$

$$\therefore \square = 2x^2 \div x = 2x$$

따라서, $\square$ 안의 식이 같은 것은 ㉠과 ㉢, ㉡과 ㉣이다.

19. $a : b = 3 : 2$ 일 때, $\frac{3a^3b^3}{(-2a^2b)^2}$ 의 값을 구하여라.

[배점 4, 중중]

▶ 답 :

▶ 정답 : $\frac{1}{2}$

해설

$$(\text{준식}) = \frac{3a^3b^3}{4a^4b^2} = \frac{3b}{4a}$$

$$b = \frac{2}{3}a$$

$$\therefore \frac{3b}{4a} = \frac{2a}{4a} = \frac{1}{2}$$

20. 다음 그림과 같이 물이 담긴 원기둥 모양의 그릇에 쇠공을 완전히 넣으면 물의 높이는 얼마나 높아지는가?

[배점 4, 중중]


① $\frac{1}{3}a$

② $\frac{2}{3}a$

③ a

④ $\frac{4}{3}a$

⑤ $\frac{5}{3}a$



해설

원기둥 모양의 그릇에 쇠공을 완전히 넣으면 물의 높이는

$$h = \frac{(\text{쇠공의 부피})}{(\text{원기둥의 밑면의 넓이})} \text{ 만큼 높아진다.}$$

원기둥의 채워져 있는 물의 높이를 h 라고 한다면 원기둥의 물의 부피는 $\pi(2a)^2 \cdot h$ 이다.

$$(\text{쇠공의 부피}) = \frac{4}{3}\pi a^3 \text{ 이므로}$$

$$h = \frac{\frac{4a^3\pi}{3}}{\frac{3}{4a^2\pi}} = \frac{4a^3\pi}{12a^2\pi} = \frac{1}{3}a \text{ 만큼 높아진다.}$$

21. $(\frac{3}{4}x + \frac{1}{2}y)^2 = ax^2 + bxy + cy^2$ 일 때, 상수 a, b, c 의 합 $a + b + c$ 의 값은? [배점 4, 중중]

① $\frac{25}{16}$

② $\frac{13}{8}$

③ $\frac{27}{16}$

④ $\frac{7}{4}$

⑤ $\frac{29}{16}$

해설

$$\begin{aligned} & \left(\frac{3}{4}x\right)^2 + 2 \times \frac{3}{4}x \times \left(\frac{1}{2}y\right) + \left(\frac{1}{2}y\right)^2 \\ &= \frac{9}{16}x^2 + \frac{3}{4}xy + \frac{1}{4}y^2 \\ \therefore a + b + c &= \frac{9}{16} + \frac{3}{4} + \frac{1}{4} = \frac{25}{16} \end{aligned}$$

해설

$$\begin{aligned} & 7(x^2 + 2ax + a^2) + (4x^2 - 20x + bx - 5b) \\ &= 11x^2 + (14a - 20 + b)x + 7a^2 - 5b \\ & x \text{의 계수는 } 14a - 20 + b = 1 \\ & 14a + b = 21 \\ & a = 1, b = 7 (\because a, b \text{는 자연수}) \\ & \text{따라서 상수항은 } 7a^2 - 5b = 7 - 35 = -28 \text{이다.} \end{aligned}$$

22. 두 식 x, y 에 대하여 $*$, $\triangle$ 를 $x*y = (8xy^2 + 4xy^2) \div 2xy$, $x\triangle y = (12x^2y - 8x^2y) \div 4xy$ 로 정의할 때, $\frac{(x*y) - (x\triangle y)}{(x*y) + (x\triangle y)}$ 의 값은? [배점 5, 중상]

- ① $\frac{6y+x}{6y+x}$ ② $\frac{6y-x}{6y-x}$ ③ $\frac{6y-x}{6y+x}$
④ $\frac{6y+x}{6y-x}$ ⑤ $\frac{3y-x}{3y+x}$

24. $\frac{1}{a} + \frac{1}{b} = \frac{3}{4}$ 일 때, $\frac{5a-3ab+5b}{a+b}$ 의 값을 구하여라. [배점 5, 중상]

▶ 답 :

▶ 정답 : 1

해설

$$\begin{aligned} x*y &= (8xy^2 + 4xy^2) \div 2xy = 4y + 2y \\ x\triangle y &= (12x^2y - 8x^2y) \div 4xy = 3x - 2x = x \\ \therefore \frac{(x*y) - (x\triangle y)}{(x*y) + (x\triangle y)} &= \frac{6y-x}{6y+x} \end{aligned}$$

해설

$$\begin{aligned} & \frac{1}{a} + \frac{1}{b} = \frac{3}{4} \\ & \frac{a+b}{ab} = \frac{3}{4} \\ \therefore 3ab &= 4(a+b) \\ (\text{준식}) &= \frac{5(a+b) - 3ab}{a+b} \\ &= \frac{5(a+b) - 4(a+b)}{a+b} \\ &= \frac{a+b}{a+b} \\ &= 1 \end{aligned}$$

23. $7(x+a)^2 + (4x+b)(x-5)$ 를 간단히 하면 x 의 계수가 1이다. a, b 가 자연수일 때, 상수항은? [배점 5, 중상]

- ① -28 ② -10 ③ 4
④ 20 ⑤ 35

25. $2(3+1)(3^2+1)(3^4+1)(3^8+1) = 3^a + b$ 일 때, 상수 a, b 의 합 $a+b$ 의 값은? [배점 5, 중상]

- ① 15 ② 16 ③ -15
④ -16 ⑤ 9

해설

$2 = 3 - 1$ 이므로

$$(3 - 1)(3 + 1)(3^2 + 1)(3^4 + 1)(3^8 + 1)$$

$$= (3^2 - 1)(3^2 + 1)(3^4 + 1)(3^8 + 1)$$

$$= (3^4 - 1)(3^4 + 1)(3^8 + 1)$$

$$= (3^8 - 1)(3^8 + 1)$$

$$= 3^{16} - 1$$

$$a = 16, b = -1$$

$$\therefore a + b = 15$$