

1. $\sqrt{12} \times \sqrt{18} \times \sqrt{75} = a\sqrt{2}$ 일 때, a 의 값은?

① 12

② 15

③ 30

④ 90

⑤ 120

해설

$$\begin{aligned} & \sqrt{12} \times \sqrt{18} \times \sqrt{75} \\ &= \sqrt{2^2 \times 3} \times \sqrt{3^2 \times 2} \times \sqrt{5^2 \times 3} \\ &= 2\sqrt{3} \times 3\sqrt{2} \times 5\sqrt{3} \\ &= 10 \times 3 \times 3\sqrt{2} = 90\sqrt{2} \\ &\therefore a = 90 \end{aligned}$$

2. 다음 중 옳지 않은 것은?

① $\sqrt{20} = 2\sqrt{5}$

② $\sqrt{27} = 3\sqrt{3}$

③ $\sqrt{48} = 4\sqrt{3}$

④ $-\sqrt{50} = -5\sqrt{2}$

⑤ $-\sqrt{28} = -3\sqrt{7}$

해설

⑤ $-\sqrt{28} = -2\sqrt{7}$

3. $\frac{\sqrt{6}}{5\sqrt{12}}$ 의 분모를 바르게 유리화한 것은?

- ① $\sqrt{2}$ ② $\frac{\sqrt{2}}{2}$ ③ $\frac{\sqrt{2}}{3}$ ④ $\frac{\sqrt{2}}{10}$ ⑤ $\frac{\sqrt{2}}{5}$

해설

$$\frac{\sqrt{6}}{5\sqrt{12}} = \frac{\sqrt{6}}{5\sqrt{2}\sqrt{6}} = \frac{1}{5\sqrt{2}} = \frac{\sqrt{2}}{5\sqrt{2} \times \sqrt{2}} = \frac{\sqrt{2}}{10}$$

4. $\frac{6}{\sqrt{2}}$ 을 분모를 유리화하면?

① $\frac{\sqrt{3}}{2}$

② $\frac{\sqrt{2}}{2}$

③ $6\sqrt{2}$

④ $3\sqrt{2}$

⑤ $\sqrt{2}$

해설

$$\frac{6}{\sqrt{2}} = \frac{6\sqrt{2}}{\sqrt{2}\sqrt{2}} = \frac{6\sqrt{2}}{2} = 3\sqrt{2}$$

5. 분모를 유리화한다고 할 때, $\frac{3}{\sqrt{18}} = \frac{3 \times \square}{3\sqrt{2} \times \square}$ 에서 $\square$ 안에 알맞은 수는?

① $\sqrt{2}$

② $\sqrt{3}$

③ 2

④ $\sqrt{6}$

⑤ $3\sqrt{3}$

해설

$$\frac{3}{\sqrt{18}} = \frac{3}{3\sqrt{2}} = \frac{\sqrt{2}}{\sqrt{2} \times \sqrt{2}} = \frac{\sqrt{2}}{2}$$

$$\therefore \square = \sqrt{2}$$

6. $-\frac{3}{2\sqrt{3}} = A\sqrt{3}$ 일 때, A 의 값으로 옳은 것은?

① $-\frac{1}{2}$

② 2

③ 3

④ $-\frac{1}{3}$

⑤ $\frac{3}{2}$

해설

$$-\frac{3}{2\sqrt{3}} = -\frac{3 \times \sqrt{3}}{2\sqrt{3} \times \sqrt{3}} = -\frac{1}{2}\sqrt{3}$$

$$-\frac{1}{2}\sqrt{3} = A\sqrt{3} \text{ 이므로}$$

$$\therefore A = -\frac{1}{2}$$

7. 식 $2(\sqrt{12} \times \sqrt{7}) \div (\sqrt{28} \times \sqrt{3})$ 을 간단히 하면?

① 1

② 2

③ 3

④ 4

⑤ 5

해설

$$(\text{준식}) = \sqrt{\frac{4 \times 12 \times 7}{28 \times 3}} = 2$$

8. $5\sqrt{2} \div 3\sqrt{5} \times 6\sqrt{10}$ 을 간단히 하여라.

▶ 답 :

▷ 정답 : 20

해설

$$\begin{aligned} 5\sqrt{2} \div 3\sqrt{5} \times 6\sqrt{10} &= 5\sqrt{2} \times \frac{1}{3\sqrt{5}} \times 6\sqrt{10} \\ &= 10\sqrt{2}\sqrt{2} \\ &= 10 \times 2 \\ &= 20 \end{aligned}$$

9. $\sqrt{6} \times \sqrt{3} \div \sqrt{12}$ 을 간단히 한 것은?

- ① $\sqrt{2}$ ② $2\sqrt{2}$ ③ $3\sqrt{2}$ ④ $\frac{\sqrt{6}}{2}$ ⑤ $2\sqrt{2}$

해설

$$\sqrt{6} \times \frac{\sqrt{3}}{\sqrt{12}} = \sqrt{\frac{6 \times 3}{12}} = \sqrt{\frac{18}{12}} = \sqrt{\frac{3}{2}} = \frac{\sqrt{6}}{2}$$

10. $\sqrt{\frac{6}{5}} \div \sqrt{2} \times \sqrt{\frac{20}{3}}$ 을 간단히 하여라.

▶ 답 :

▷ 정답 : 2

해설

$$\sqrt{\frac{6}{5}} \div \sqrt{2} \times \sqrt{\frac{20}{3}} = \frac{\sqrt{6}}{\sqrt{5}} \times \frac{1}{\sqrt{2}} \times \frac{2\sqrt{5}}{\sqrt{3}} = 2$$

11. 다음 중 $\sqrt{18} + 2\sqrt{2} - \frac{2}{\sqrt{2}}$ 을 바르게 계산한 것은?

① $\sqrt{2}$

② $2\sqrt{2}$

③ $3\sqrt{2}$

④ $4\sqrt{2}$

⑤ $5\sqrt{2}$

해설

$$\begin{aligned}(\text{준식}) &= 3\sqrt{2} + 2\sqrt{2} - \frac{2 \times \sqrt{2}}{\sqrt{2} \times \sqrt{2}} \\ &= 5\sqrt{2} - \sqrt{2} \\ &= 4\sqrt{2}\end{aligned}$$

12. $3\frac{\sqrt{10}}{\sqrt{5}} - \sqrt{72}$ 을 간단히 하여라.

▶ 답 :

▷ 정답 : $-3\sqrt{2}$

해설

$$\begin{aligned}(\text{준식}) &= \frac{3\sqrt{10}\sqrt{5}}{\sqrt{5}\sqrt{5}} - \sqrt{3 \times 3 \times 2 \times 2 \times 2} \\&= \frac{3 \times 5 \times \sqrt{2}}{5} - 6\sqrt{2} \\&= 3\sqrt{2} - 6\sqrt{2} \\&= -3\sqrt{2}\end{aligned}$$

13. 다음 중 $3\sqrt{5} - \sqrt{20} + \sqrt{32} - 2\sqrt{18}$ 을 간단히 하였을 때, 올바른 것은?

① $\sqrt{5} - 2\sqrt{2}$

② $2\sqrt{5} + \sqrt{2}$

③ $\sqrt{5} + \sqrt{2}$

④ $2\sqrt{5} - \sqrt{2}$

⑤ $2\sqrt{5} - 3\sqrt{2}$

해설

$$3\sqrt{5} - 2\sqrt{5} + 4\sqrt{2} - 6\sqrt{2} = \sqrt{5} - 2\sqrt{2}$$

14. $\sqrt{18} + \sqrt{48} - 2\sqrt{27} + 3\sqrt{50}$ 을 간단히 하면?

① $14\sqrt{2} + 4\sqrt{3}$

② $14\sqrt{2} - 4\sqrt{3}$

③ $18\sqrt{2} - 2\sqrt{3}$

④ $18\sqrt{2} + 2\sqrt{3}$

⑤ $24\sqrt{2} + 4\sqrt{3}$

해설

$$\begin{aligned} & \sqrt{18} + \sqrt{48} - 2\sqrt{27} + 3\sqrt{50} \\ &= 3\sqrt{2} + 4\sqrt{3} - 6\sqrt{3} + 15\sqrt{2} \\ &= (3\sqrt{2} + 15\sqrt{2}) + (4\sqrt{3} - 6\sqrt{3}) \\ &= 18\sqrt{2} - 2\sqrt{3} \end{aligned}$$

15. 다음 식을 간단히 하면?

$$\frac{3}{\sqrt{2}} + \frac{5}{\sqrt{2}} - \sqrt{2}(2 + \sqrt{6})$$

① $\sqrt{2} - 2\sqrt{3}$

② $\sqrt{2} - \sqrt{3}$

③ $\sqrt{2} - 2$

④ $2\sqrt{2} - \sqrt{3}$

⑤ $2\sqrt{2} - 2\sqrt{3}$

해설

$$\begin{aligned} & \frac{3}{\sqrt{2}} + \frac{5}{\sqrt{2}} - \sqrt{2}(2 + \sqrt{6}) \\ &= \frac{3\sqrt{2}}{2} + \frac{5\sqrt{2}}{2} - (2\sqrt{2} + 2\sqrt{3}) \\ &= 4\sqrt{2} - (2\sqrt{2} + 2\sqrt{3}) \\ &= 2\sqrt{2} - 2\sqrt{3} \end{aligned}$$

16. $\frac{1}{\sqrt{3}+2}$ 의 분모를 유리화할 때, 다음 중에서 어떤 수를 분모, 분자에 곱하면 가장 편리한가?

① $\sqrt{3}$

② $2 - \sqrt{3}$

③ -2

④ $2 + \sqrt{3}$

⑤ $-2 + \sqrt{3}$

해설

$$\frac{1}{\sqrt{3}+2} = \frac{2-\sqrt{3}}{(2+\sqrt{3})(2-\sqrt{3})} = 2-\sqrt{3}$$

17. 분수 $\frac{2\sqrt{3}}{2+\sqrt{3}}$ 을 유리화하면?

① $4\sqrt{3} + 6$

② $-6 + 4\sqrt{3}$

③ $-4\sqrt{3} - 6$

④ $2\sqrt{7}$

⑤ $-5\sqrt{7} + 8$

해설

$$\frac{2\sqrt{3}(2-\sqrt{3})}{(2+\sqrt{3})(2-\sqrt{3})} = 4\sqrt{3} - 6$$

18. $\frac{\sqrt{2}+1}{\sqrt{2}-1}$ 의 분모를 유리화한 것은?

① $-2\sqrt{2}$

② $3-2\sqrt{2}$

③ $-3+2\sqrt{2}$

④ $3+2\sqrt{2}$

⑤ $2\sqrt{2}$

해설

$$\frac{(\sqrt{2}+1)^2}{(\sqrt{2}-1)(\sqrt{2}+1)} = 3+2\sqrt{2}$$

19. 다음 중 $\frac{\sqrt{2}-1}{\sqrt{2}+1}$ 을 바르게 유리화한 것은?

① $2 - \sqrt{2}$

② $1 + \sqrt{2}$

③ $4 - 2\sqrt{2}$

④ $5 + \sqrt{2}$

⑤ $3 - 2\sqrt{2}$

해설

$$\frac{(\sqrt{2}-1)^2}{(\sqrt{2}+1)(\sqrt{2}-1)} = 3 - 2\sqrt{2}$$

20. $\frac{1}{\sqrt{3}+2}$ 의 분모를 유리화할 때, 다음 중 어떤 수를 분자, 분모에 곱하면 가장 편리한가?

① $\sqrt{3}$

② $-\sqrt{3}$

③ -2

④ $\sqrt{3}-2$

⑤ $2+\sqrt{3}$

해설

$$\frac{1}{\sqrt{3}+2} = \frac{\sqrt{3}-2}{(\sqrt{3}+2)(\sqrt{3}-2)}$$

21. $\frac{3 + \sqrt{2}}{3 - \sqrt{2}}$ 를 간단히 하면?

① $\frac{11 - 6\sqrt{2}}{7}$

② $\frac{11 + 6\sqrt{2}}{7}$

③ $\frac{-11 + 6\sqrt{2}}{7}$

④ $\frac{21 - 6\sqrt{2}}{7}$

⑤ $\frac{21 + 6\sqrt{2}}{7}$

해설

$$\begin{aligned}\frac{3 + \sqrt{2}}{3 - \sqrt{2}} &= \frac{(3 + \sqrt{2})(3 + \sqrt{2})}{(3 - \sqrt{2})(3 + \sqrt{2})} \\ &= \frac{3^2 + 2 \times 3 \times \sqrt{2} + (\sqrt{2})^2}{3^2 - (\sqrt{2})^2} \\ &= \frac{11 + 6\sqrt{2}}{7}\end{aligned}$$

22. $\frac{\sqrt{3}}{\sqrt{3}-2}$ 의 분모를 유리화하면?

① $3 + 2\sqrt{3}$

② $-3 - 2\sqrt{3}$

③ $-3 + 2\sqrt{3}$

④ $3 - 2\sqrt{3}$

⑤ $3 + \sqrt{3}$

해설

분모, 분자에 각각 $\sqrt{3} + 2$ 를 곱하면

$$\begin{aligned}\frac{\sqrt{3}}{\sqrt{3}-2} &= \frac{\sqrt{3}(\sqrt{3}+2)}{(\sqrt{3}-2)(\sqrt{3}+2)} \\ &= \frac{3+2\sqrt{3}}{3-4} = -(3+2\sqrt{3}) \\ &= -3-2\sqrt{3}\end{aligned}$$

23. $\frac{3}{\sqrt{3}-2}$ 의 분모를 유리화하는데 이용되는 곱셈 공식은?

① $(a+b)^2 = a^2 + 2ab + b^2$

② $(a-b)^2 = a^2 - 2ab + b^2$

③ $(a+b)(c+d) = ac + ad + bc + bd$

④ $(a+b)(a-b) = a^2 - b^2$

⑤ $(ax+b)(cx+d) = acx^2 + (ad+bc)x + bd$

해설

$(a+b)(a-b) = a^2 - b^2$ 을 이용하여

$$\begin{aligned}\frac{3}{\sqrt{3}-2} &= \frac{3(\sqrt{3}+2)}{(\sqrt{3}-2)(\sqrt{3}+2)} \\ &= \frac{3\sqrt{3}+6}{3-4} \\ &= -3\sqrt{3}-6\end{aligned}$$

24. $\frac{2 + \sqrt{3}}{2 - \sqrt{3}}$ 을 유리화하여라.

▶ 답 :

▷ 정답 : $4\sqrt{3} + 7$

해설

$$\begin{aligned}(\text{준식}) &= \frac{(2 + \sqrt{3})(2 + \sqrt{3})}{(2 - \sqrt{3})(2 + \sqrt{3})} \\&= \frac{4 + 4\sqrt{3} + 3}{4 - 3} \\&= 4\sqrt{3} + 7\end{aligned}$$

25. $\frac{3 - \sqrt{5}}{3 + \sqrt{5}}$ 의 분모를 유리화 할 때, 분모에 곱해야 될 식은?

① $1 - \sqrt{5}$

② $2 - \sqrt{5}$

③ $1 + \sqrt{5}$

④ $3 - \sqrt{5}$

⑤ $3 + \sqrt{5}$

해설

$$\frac{3 - \sqrt{5}}{3 + \sqrt{5}} = \frac{(3 - \sqrt{5})^2}{(3 + \sqrt{5})(3 - \sqrt{5})} = \frac{(3 - \sqrt{5})^2}{4}$$

26. 다음 중 $\sqrt{30} = 5.477$ 을 이용하여 제곱근의 값을 구할 수 없는 것은?

① $\sqrt{0.003}$

② $\sqrt{0.03}$

③ $\sqrt{0.3}$

④ $\sqrt{3000}$

⑤ $\sqrt{300000}$

해설

① $\sqrt{0.003} = \sqrt{30 \times 0.0001} = 0.01 \sqrt{30}$

② $\sqrt{0.03} = \sqrt{3 \times 0.01} = 0.1 \sqrt{3}$

③ $\sqrt{0.3} = \sqrt{30 \times 0.01} = 0.1 \sqrt{30}$

④ $\sqrt{3000} = \sqrt{30 \times 100} = 10 \sqrt{30}$

⑤ $\sqrt{300000} = \sqrt{30 \times 10000} = 100 \sqrt{30}$

27. 옳은 것을 모두 고르면?

$$\textcircled{㉠} \sqrt{2} \times \sqrt{32} = 8$$

$$\textcircled{㉡} 2\sqrt{3} \times \sqrt{2} = 4\sqrt{3}$$

$$\textcircled{㉢} 7\sqrt{2} \times (-\sqrt{2}) = -14$$

$$\textcircled{㉤} 3\sqrt{10} \times 4\sqrt{\frac{2}{5}} = 24$$

$$\textcircled{1} \textcircled{㉠}, \textcircled{㉡}$$

$$\textcircled{2} \textcircled{㉠}, \textcircled{㉢}$$

$$\textcircled{3} \textcircled{㉠}, \textcircled{㉤}$$

$$\textcircled{4} \textcircled{㉠}, \textcircled{㉡}, \textcircled{㉤}$$

$$\textcircled{5} \textcircled{㉠}, \textcircled{㉢}, \textcircled{㉤}$$

해설

$$\textcircled{㉡} 2\sqrt{3} \times \sqrt{2} = 2\sqrt{3 \times 2} = 2\sqrt{6}$$

28. $-\sqrt{3} \times \sqrt{\frac{2}{3}} \times \sqrt{\frac{3}{2}}$ 를 간단히 하면?

① $\sqrt{2}$

② $-\sqrt{2}$

③ $\sqrt{3}$

④ $-\sqrt{3}$

⑤ $\sqrt{5}$

해설

$$-\sqrt{3} \times \sqrt{\frac{2}{3}} \times \sqrt{\frac{3}{2}} = -\sqrt{3 \times \frac{2}{3} \times \frac{3}{2}} = -\sqrt{3}$$

29. $3\sqrt{2} \times \frac{\sqrt{5}}{\sqrt{2}} = \square \sqrt{5}$ 의 수로 나타내었을 때, $\square$ 안에 들어갈 알맞은 수를 써라.

▶ 답 :

▷ 정답 : 3

해설

$$3\sqrt{2 \times \frac{5}{2}} = 3\sqrt{5}$$

30. 밑변의 길이가 $\frac{1}{\sqrt{2}}$ cm, 높이가 $\sqrt{8}$ cm 인 삼각형의 넓이를 구하여라.

▶ 답 : cm²

▷ 정답 : 1 cm²

해설

$$S = \frac{1}{2} \times \frac{1}{\sqrt{2}} \times \sqrt{8} = \frac{1}{2} \times \frac{1}{\sqrt{2}} \times 2\sqrt{2} = 1 \text{ cm}^2$$

31. $\sqrt{48} - 2\sqrt{3} - \frac{3}{\sqrt{27}}$ 을 간단히 하면?

① $-\frac{2}{3}\sqrt{3}$

② $-\frac{3}{4}\sqrt{3}$

③ $\frac{3}{4}\sqrt{3}$

④ $\frac{2}{3}\sqrt{3}$

⑤ $\frac{5}{3}\sqrt{3}$

해설

$$4\sqrt{3} - 2\sqrt{3} - \frac{3}{3\sqrt{3}} = 2\sqrt{3} - \frac{\sqrt{3}}{3} = \frac{5}{3}\sqrt{3}$$

32. $\frac{2 - \sqrt{3}}{\sqrt{2}} - \frac{\sqrt{6} - \sqrt{2}}{\sqrt{3}}$ 를 간단히 하면?

① $-\frac{\sqrt{2}}{6}$

② $-\sqrt{2}$

③ $-\frac{\sqrt{3}}{6}$

④ $-\sqrt{3}$

⑤ $-\frac{\sqrt{6}}{6}$

해설

$$\begin{aligned} & \frac{2 - \sqrt{3}}{\sqrt{2}} - \frac{\sqrt{6} - \sqrt{2}}{\sqrt{3}} \\ &= \frac{(2 - \sqrt{3})\sqrt{2}}{\sqrt{2} \cdot \sqrt{2}} - \frac{(\sqrt{6} - \sqrt{2})\sqrt{3}}{\sqrt{3} \cdot \sqrt{3}} \\ &= \frac{2\sqrt{2} - \sqrt{6}}{2} - \frac{3\sqrt{2} - \sqrt{6}}{3} \\ &= \sqrt{2} - \frac{\sqrt{6}}{2} - \sqrt{2} + \frac{\sqrt{6}}{3} \\ &= \left(-\frac{1}{2} + \frac{1}{3}\right)\sqrt{6} = -\frac{\sqrt{6}}{6} \end{aligned}$$

33. $\frac{1}{\sqrt{2}} - \frac{3}{\sqrt{32}}$ 을 계산하면?

① $\frac{1}{2}$

② $-\frac{1}{2}$

③ $\frac{\sqrt{2}}{8}$

④ $-\frac{\sqrt{3}}{8}$

⑤ $\frac{\sqrt{3}}{8}$

해설

$$\begin{aligned}\frac{1}{\sqrt{2}} - \frac{3}{4\sqrt{2}} &= \frac{\sqrt{2}}{\sqrt{2}\sqrt{2}} - \frac{3\sqrt{2}}{4\sqrt{2}\sqrt{2}} \\&= \frac{\sqrt{2}}{2} - \frac{3\sqrt{2}}{8} \\&= \frac{4\sqrt{2}}{8} - \frac{3\sqrt{2}}{8} \\&= \frac{\sqrt{2}}{8}\end{aligned}$$

34. $\sqrt{72} = a\sqrt{2}$, $\sqrt{300} = b\sqrt{3}$ 일 때, $a - b$ 의 값은?

① -2

② -4

③ 4

④ 6

⑤ 8

해설

$$\sqrt{72} = \sqrt{2^2 \times 3^2 \times 2} = 6\sqrt{2}$$

$$\sqrt{300} = \sqrt{10^2 \times 3} = 10\sqrt{3}$$

$$\therefore a = 6, b = 10$$

$$\therefore a - b = -4$$

35. $\sqrt{\frac{2}{7}} \div \sqrt{2} \div \frac{1}{\sqrt{14}}$ 을 계산하여라.

▶ 답 :

▷ 정답 : $\sqrt{2}$

해설

$$\begin{aligned}\sqrt{\frac{2}{7}} \div \sqrt{2} \div \frac{1}{\sqrt{14}} &= \sqrt{\frac{2}{7}} \times \frac{1}{\sqrt{2}} \times \sqrt{14} \\ &= \sqrt{\frac{2 \times 14}{7 \times 2}} \\ &= \sqrt{2}\end{aligned}$$

36. $\frac{\sqrt{20}}{\sqrt{5}} \times \sqrt{15} \div \sqrt{10}$ 를 간단히 하면?

① $\sqrt{2}$

② $\sqrt{3}$

③ 2

④ $\sqrt{5}$

⑤ $\sqrt{6}$

해설

$$\begin{aligned}\frac{\sqrt{20}}{\sqrt{5}} \times \sqrt{15} \div \sqrt{10} &= \frac{\sqrt{20}}{\sqrt{5}} \times \sqrt{15} \times \frac{1}{\sqrt{10}} \\ &= \sqrt{2} \times \sqrt{3} = \sqrt{6}\end{aligned}$$

37. 다음 그림의 직육면체의 부피가 $48\sqrt{3}\text{cm}^2$ 일 때,
 x 의 길이를 구하면?


① $\sqrt{2}\text{cm}$

② 2cm

③ $3\sqrt{2}\text{cm}$

④ 4cm

⑤ $5\sqrt{2}\text{cm}$



해설

$$2\sqrt{6} \times 6\sqrt{2} \times x = 48\sqrt{3}$$

$$24\sqrt{3}x = 48\sqrt{3}$$

$$\therefore x = 2$$

38. 다음 그림과 같이 부피가 $12\sqrt{5}$ 인 직육면체의 가로, 세로의 길이가 각각 $\sqrt{6}$, $\sqrt{15}$ 일 때, 이 직육면체의 높이를 구하면?


① $\sqrt{2}$

② $2\sqrt{2}$

③ $\sqrt{15}$

④ $3\sqrt{6}$

⑤ $2\sqrt{15}$



해설

높이를 h 라 하면 $\sqrt{6} \times \sqrt{15} \times h = 12\sqrt{5}$

$$\therefore h = \frac{12\sqrt{5}}{\sqrt{6} \times \sqrt{15}}$$

$$= 12 \times \sqrt{\frac{5}{6 \times 15}} = \frac{12}{\sqrt{18}}$$

$$= \frac{12}{3\sqrt{2}} = \frac{4}{\sqrt{2}} = 2\sqrt{2}$$

39. $\frac{3}{\sqrt{5} - \sqrt{2}}$ 을 계산하여라.

▶ 답 :

▷ 정답 : $\sqrt{5} + \sqrt{2}$

해설

$$\begin{aligned}(\text{준식}) &= \frac{3(\sqrt{5} + \sqrt{2})}{(\sqrt{5} - \sqrt{2})(\sqrt{5} + \sqrt{2})} \\&= \frac{3(\sqrt{5} + \sqrt{2})}{5 - 2} \\&= \sqrt{5} + \sqrt{2}\end{aligned}$$

40. $\sqrt{7}$ 의 정수 부분을 a , 소수 부분을 b 라고 할 때, $2a + b$ 를 구하여라.

▶ 답 :

▷ 정답 : $2 + \sqrt{7}$

해설

$a = 2$ 이므로, $b = \sqrt{7} - 2$ 가 된다.

$$2a + b = 2 \times 2 + (\sqrt{7} - 2) = 2 + \sqrt{7}$$

41. $2\sqrt{5}$ 의 정수 부분을 a , 소수 부분을 b 라 할 때, $a-b$ 의 값을 구하여라.

▶ 답 :

▷ 정답 : $8 - 2\sqrt{5}$

해설

$2\sqrt{5} = \sqrt{20}$ 이고, $4 < \sqrt{20} < 5$ 이므로

$a = 4$, $b = 2\sqrt{5} - 4$ 이다.

$\therefore a - b = 4 - (2\sqrt{5} - 4) = 8 - 2\sqrt{5}$

42. $2 + \sqrt{3}$ 의 소수 부분은?

① $\sqrt{3} - 5$

② $\sqrt{3} - 4$

③ $\sqrt{3} - 3$

④ $\sqrt{3} - 2$

⑤ $\sqrt{3} - 1$

해설

$1 < \sqrt{3} < 2$ 이고 $3 < 2 + \sqrt{3} < 4$ 이므로

$2 + (\sqrt{3} \text{의 정수 부분}) = 3$

$(\text{소수 부분}) = (2 + \sqrt{3}) - 3 = \sqrt{3} - 1$

43. $2a + 8\sqrt{3} - 7 - 4a\sqrt{3}$ 의 값이 유리수가 되도록 하는 유리수 a 의 값은?

① 0

② 1

③ 2

④ 3

⑤ 4

해설

$$2a + 8\sqrt{3} - 7 - 4a\sqrt{3} = 2a - 7 + (8 - 4a)\sqrt{3}$$

주어진 식이 유리수가 되기 위해서는 $8 - 4a$ 의 값이 0이 되어야 한다.

$$8 - 4a = 0 \quad \therefore a = 2$$

44. 다음 식의 값이 유리수가 되도록 하는 유리수 x 의 값을 구하여라.

$$\sqrt{3}(\sqrt{3}-5)+x(2-\sqrt{3})$$

▶ 답 :

▷ 정답 : $x = -5$

해설

$\sqrt{3}(\sqrt{3}-5)+x(2-\sqrt{3})=3-5\sqrt{3}+2x-x\sqrt{3}$ 이므로 유리식이 되기 위해서는 근호가 없어져야 한다. 따라서 $-5\sqrt{3}-x\sqrt{3}=0$ 이 되기 위해서 $x=-5$ 이어야 한다.