

1. $2\sqrt{50} - \sqrt{98} + \sqrt{18}$ 을 계산하면?

① $-3\sqrt{2}$

② $4\sqrt{2}$

③ $5\sqrt{2}$

④ $6\sqrt{2}$

⑤ $-7\sqrt{2}$

2. $3\sqrt{8}-4\sqrt{18}+\sqrt{50}$ 을 바르게 계산한 것을 고르면?

- ① $\sqrt{3}$ ② $\sqrt{2}$ ③ 0 ④ $-\sqrt{3}$ ⑤ $-\sqrt{2}$

3. $6\sqrt{6}-4\sqrt{3}+2\sqrt{6}-3\sqrt{3}$ 을 간단히 하면?

① $2\sqrt{6}+1\sqrt{3}$

② $3\sqrt{6}-2\sqrt{3}$

③ $7\sqrt{6}+8\sqrt{3}$

④ $8\sqrt{6}-7\sqrt{3}$

⑤ $4\sqrt{6}+2\sqrt{3}$

4. $4\sqrt{5} + 6\sqrt{2} + 3\sqrt{5} - 4\sqrt{2}$ 를 간단히 하면?

① $\sqrt{5} - 2\sqrt{2}$

② $\sqrt{5} + 4\sqrt{2}$

③ $2\sqrt{5} + 5\sqrt{2}$

④ $7\sqrt{5} - 2\sqrt{2}$

⑤ $7\sqrt{5} + 2\sqrt{2}$

5. 다음 중 계산이 틀린 것은?

① $\sqrt{5} - \sqrt{7} - 3\sqrt{5} + 2\sqrt{7} = -2\sqrt{5} + \sqrt{7}$

② $\frac{5 + \sqrt{15}}{10} + \frac{\sqrt{15} - 3}{6} = \frac{4\sqrt{15}}{15}$

③ $4\sqrt{2} - \sqrt{3} + 4\sqrt{3} - 3\sqrt{2} = \sqrt{2} + 3\sqrt{3}$

④ $7\sqrt{7} + \frac{3}{4}\sqrt{5} - \frac{1}{2}\sqrt{7} + \sqrt{5} = \frac{13\sqrt{7}}{2} + 8\sqrt{5}$

⑤ $7\sqrt{2} + \frac{3}{2} - \frac{\sqrt{2}}{2} - \frac{7}{2} = \frac{13\sqrt{2}}{2} - 2$

6. $\frac{6\sqrt{2}}{2} + \frac{3\sqrt{5}}{5} - \frac{3\sqrt{5}}{5} + 2$ 를 간단히 나타내면?

① $3\sqrt{2} + 2$

② $3\sqrt{2} + 3\sqrt{5} + 2$

③ $3\sqrt{5} + 2$

④ $3\sqrt{2} - 2$

⑤ $3\sqrt{5} - 2$

7. $\sqrt{48}-4\sqrt{32}+3\sqrt{12}+\sqrt{50}$ 을 $a\sqrt{3}+b\sqrt{2}$ 의 꼴로 고칠 때, $a+b$ 의 값은?

① -21

② -1

③ 4

④ 9

⑤ 21

8. 다음 중 $\sqrt{18} + 2\sqrt{2} - \frac{2}{\sqrt{2}}$ 을 바르게 계산한 것은?

① $\sqrt{2}$

② $2\sqrt{2}$

③ $3\sqrt{2}$

④ $4\sqrt{2}$

⑤ $5\sqrt{2}$

9. 다음 중 계산이 틀린 것은?

① $\sqrt{20} + 3\sqrt{45} = 11\sqrt{5}$

② $\sqrt{12} + \sqrt{27} = 5\sqrt{3}$

③ $\sqrt{7} - \sqrt{28} = -\sqrt{7}$

④ $\sqrt{6} + \sqrt{24} = 3\sqrt{6}$

⑤ $\frac{\sqrt{3}}{10} - \frac{2\sqrt{3}}{5} = -\frac{\sqrt{3}}{10}$

10. 다음 중 $3\sqrt{5}-\sqrt{20}+\sqrt{32}-2\sqrt{18}$ 을 간단히 하였을 때, 올바른 것은?

- ① $\sqrt{5}-2\sqrt{2}$ ② $2\sqrt{5}+\sqrt{2}$ ③ $\sqrt{5}+\sqrt{2}$
④ $2\sqrt{5}-\sqrt{2}$ ⑤ $2\sqrt{5}-3\sqrt{2}$

11. 다음 식을 간단히 하면?

$$\frac{3}{\sqrt{2}} + \frac{5}{\sqrt{2}} - \sqrt{2}(2 + \sqrt{6})$$

- ① $\sqrt{2} - 2\sqrt{3}$ ② $\sqrt{2} - \sqrt{3}$ ③ $\sqrt{2} - 2$
④ $2\sqrt{2} - \sqrt{3}$ ⑤ $2\sqrt{2} - 2\sqrt{3}$

12. $\sqrt{108} - \sqrt{48} - \sqrt{27} + \sqrt{24}$ 를 $a\sqrt{3} + b\sqrt{6}$ 의 꼴로 고칠 때, $a - b$ 의 값은?

① -3

② -1

③ 0

④ 1

⑤ 3

13. 다음 보기 중에서 옳은 것을 모두 고르면?

보기

- $\textcircled{\tiny A} \quad \frac{\sqrt{6}}{3} + \frac{\sqrt{6}}{2} - 2\sqrt{6} = -\frac{7\sqrt{6}}{6}$
- $\textcircled{\tiny B} \quad \frac{3\sqrt{2}}{2} + \frac{5\sqrt{2}}{2} - 2\sqrt{2} - 2\sqrt{3} = 2\sqrt{2} - \sqrt{3}$
- $\textcircled{\tiny C} \quad \frac{3\sqrt{2}}{4} - 3\sqrt{2} + \sqrt{32} = \frac{7\sqrt{2}}{4}$
- $\textcircled{\tiny D} \quad \sqrt{192} - \sqrt{54} - \sqrt{108} + \sqrt{24} = 2\sqrt{3} - \sqrt{6}$

- $\textcircled{1} \quad \textcircled{\tiny A}, \textcircled{\tiny B}$
- $\textcircled{2} \quad \textcircled{\tiny A}, \textcircled{\tiny B}, \textcircled{\tiny C}$
- $\textcircled{3} \quad \textcircled{\tiny A}, \textcircled{\tiny C}$
- $\textcircled{4} \quad \textcircled{\tiny A}, \textcircled{\tiny C}, \textcircled{\tiny D}$
- $\textcircled{5} \quad \textcircled{\tiny A}, \textcircled{\tiny B}, \textcircled{\tiny C}, \textcircled{\tiny D}$

14. 다음 식의 계산 결과가 틀린 것은?

① $\sqrt{24} + 5\sqrt{6} = 7\sqrt{6}$

② $\sqrt{12} + \sqrt{27} - \sqrt{48} = \sqrt{3}$

③ $\frac{\sqrt{5}}{3} - \frac{\sqrt{45}}{2} + \frac{\sqrt{5}}{6} = -\frac{\sqrt{5}}{6}$

④ $\sqrt{12} + \sqrt{50} - \sqrt{3} + 2\sqrt{2} = \sqrt{3} + 7\sqrt{2}$

⑤ $5\sqrt{3} + \frac{15}{\sqrt{3}} - 2\sqrt{75} = 0$

15. $\sqrt{32} + \frac{8}{\sqrt{2}} - \sqrt{50} = a\sqrt{2}$, $\sqrt{0.2} \times \sqrt{\frac{4}{5}} \times \sqrt{125} = b\sqrt{5}$ 일 때, $a - b$ 의 값은?

① -2

② -1

③ 1

④ 2

⑤ 3

16. 다음 보기 중에서 옳지 않은 것은?

① $\sqrt{8} - \sqrt{18} + \sqrt{32} = 3\sqrt{2}$

② $\sqrt{27} - \sqrt{48} + \sqrt{75} = 4\sqrt{3}$

③ $-\frac{2}{\sqrt{2}} + \frac{32}{\sqrt{32}} = 4\sqrt{2}$

④ $\sqrt{5} + \sqrt{125} - \sqrt{32} + 3\sqrt{2} = 6\sqrt{5} - \sqrt{2}$

⑤ $\sqrt{12} + 3\sqrt{3} - \sqrt{7} + \sqrt{63} = 5\sqrt{3} + 2\sqrt{7}$

17. $\frac{7+6\sqrt{6}}{\sqrt{3}}-4\left(\sqrt{2}+\frac{\sqrt{3}}{3}\right)$ 을 간단히 하면?

- ① $\sqrt{2}-2\sqrt{3}$ ② $\sqrt{2}+2\sqrt{3}$ ③ $\sqrt{3}-2\sqrt{2}$
 ④ $\sqrt{3}+2\sqrt{2}$ ⑤ $\sqrt{5}-2\sqrt{2}$

18. 다음 중 옳은 것은?

① $\sqrt{7} - \sqrt{3} - \sqrt{2} = \sqrt{2}$

② $\sqrt{0.02} \times \sqrt{2} = 0.2$

③ $\sqrt{6} + \sqrt{4} = \sqrt{10}$

④ $3\sqrt{2} \times \sqrt{12} \div \frac{1}{\sqrt{3}} = 6\sqrt{2}$

⑤ $2\sqrt{2} + \sqrt{18} - \sqrt{50} = -2\sqrt{30}$

19. $A = \sqrt{2} + \sqrt{3}$, $B = \sqrt{6} - \sqrt{3}$ 일 때, $\sqrt{2}A - \sqrt{3}B$ 의 값은?

① $\sqrt{6} - 3\sqrt{2} + 5$

② $\sqrt{6} + 3\sqrt{2} - 5$

③ $\sqrt{6} - 3\sqrt{2} - 5$

④ $-\sqrt{6} - 3\sqrt{2} + 5$

⑤ $-\sqrt{6} + 3\sqrt{2} - 5$

20. $\sqrt{96} + \frac{\sqrt{3}(\sqrt{2} - \sqrt{6})}{\sqrt{2}} - \frac{\sqrt{6} - 1}{\sqrt{2}} \div \frac{2\sqrt{2}}{\sqrt{3}}$ 를 간단히 하면?

① $4\sqrt{6} - \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} - 3$

② $4\sqrt{6} + \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} - 3$

③ $4\sqrt{6} - \frac{5}{4}\sqrt{3} + \frac{3}{4}\sqrt{2} - 3$

④ $4\sqrt{6} - \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} + 3$

⑤ $4\sqrt{6} + \frac{5}{4}\sqrt{3} + \frac{3}{4}\sqrt{2} - 3$

21. 일차방정식 $(\sqrt{2}-2)x=(3-\sqrt{2})(3\sqrt{2}+1)$ 을 풀면?

- ① $-1-\frac{13}{2}\sqrt{2}$ ② $-2-\frac{13}{2}\sqrt{2}$ ③ $-3-\frac{13}{2}\sqrt{2}$
④ $-4-\frac{13}{2}\sqrt{2}$ ⑤ $-5-\frac{13}{2}\sqrt{2}$

22. $\frac{4+\sqrt{3}}{\sqrt{2}}$ 과 $\frac{2-\sqrt{3}}{\sqrt{6}}$ 의 합을 구하면?

① $\frac{9\sqrt{2}+5\sqrt{6}}{6}$

② $\frac{9\sqrt{2}-5\sqrt{6}}{6}$

③ $\frac{5\sqrt{2}+9\sqrt{6}}{6}$

④ $\frac{5\sqrt{2}-9\sqrt{6}}{6}$

⑤ $\frac{-5\sqrt{2}+9\sqrt{6}}{6}$

23. $\frac{1}{\sqrt{2}} - \frac{3}{\sqrt{32}}$ 을 계산하면?

① $\frac{1}{2}$

② $-\frac{1}{2}$

③ $\frac{\sqrt{2}}{8}$

④ $-\frac{\sqrt{3}}{8}$

⑤ $\frac{\sqrt{3}}{8}$

24. $\sqrt{12} - 3\sqrt{48} - \sqrt{3} + \sqrt{27} = A\sqrt{3}$ 일 때, 유리수 A 의 값은?

① -5

② -6

③ -7

④ -8

⑤ -9

25. $\sqrt{3}(3 - \sqrt{3}) + \sqrt{75}$ 를 간단히 하면?

① $5\sqrt{3} - 3$

② $6\sqrt{3} - 2$

③ $7\sqrt{3} - 2$

④ $7\sqrt{3} - 3$

⑤ $8\sqrt{3} - 3$