

1.  $\sqrt{96} + \frac{\sqrt{3}(\sqrt{2} - \sqrt{6})}{\sqrt{2}} - \frac{\sqrt{6} - 1}{\sqrt{2}} \div \frac{2\sqrt{2}}{\sqrt{3}}$  를 간단히 하면?

①  $4\sqrt{6} - \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} - 3$

②  $4\sqrt{6} + \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} - 3$

③  $4\sqrt{6} - \frac{5}{4}\sqrt{3} + \frac{3}{4}\sqrt{2} - 3$

④  $4\sqrt{6} - \frac{5}{4}\sqrt{3} - \frac{3}{4}\sqrt{2} + 3$

⑤  $4\sqrt{6} + \frac{5}{4}\sqrt{3} + \frac{3}{4}\sqrt{2} - 3$

2. 다음 보기 중에서 옳지 않은 것은?

①  $\sqrt{8} - \sqrt{18} + \sqrt{32} = 3\sqrt{2}$

②  $\sqrt{27} - \sqrt{48} + \sqrt{75} = 4\sqrt{3}$

③  $-\frac{2}{\sqrt{2}} + \frac{32}{\sqrt{32}} = 4\sqrt{2}$

④  $\sqrt{5} + \sqrt{125} - \sqrt{32} + 3\sqrt{2} = 6\sqrt{5} - \sqrt{2}$

⑤  $\sqrt{12} + 3\sqrt{3} - \sqrt{7} + \sqrt{63} = 5\sqrt{3} + 2\sqrt{7}$

**3.**  $(\sqrt{5} + 2\sqrt{3})(2\sqrt{5} - 3\sqrt{3})$  을 계산하면?

①  $-8 - 15\sqrt{3} - 4\sqrt{15}$

②  $-8 - 15\sqrt{3} + 4\sqrt{15}$

③  $-8 + \sqrt{15}$

④  $8 - 15\sqrt{3}$

⑤  $8 - 15\sqrt{3} + 4\sqrt{15}$

4.  $0 < x < 2$  일 때,  
 $\sqrt{(-x)^2} - \sqrt{(x-2)^2} + \sqrt{(2-x)^2}$  을 간단히 하면?

①  $x$

②  $4 - x$

③  $x + 4$

④  $3x + 4$

⑤  $4 - 3x$

5.  $-1 < a < 2$  일 때,  $\sqrt{(a+1)^2} + \sqrt{(a-2)^2} + a - 3$  을 간단히 하면?

①  $a$

②  $3a - 4$

③  $0$

④  $a - 6$

⑤  $3a + 1$

6. 두 실수  $a, b$  에 대하여  $a > 0, b < 0$  일 때,  $\sqrt{a^2} - |b| + \sqrt{(a-b)^2}$  을 간단히 하면?

① 0

②  $2a$

③  $2b$

④  $a - b$

⑤  $2a - 2b$