

1. $\sqrt{75} - \frac{9}{\sqrt{3}}$ 를 간단히 하여라.



답:

2. $3\frac{\sqrt{10}}{\sqrt{5}} - \sqrt{72}$ 을 간단히 하여라.



답:

3. $5\sqrt{2} - \sqrt{75} - \frac{2}{\sqrt{2}} + \sqrt{12} = a\sqrt{2} + b\sqrt{3}$ 일 때, 유리수 a, b 의 값을 구하여라.

➤ 답: $a =$ _____

➤ 답: $b =$ _____

4. $\sqrt{125} + \sqrt{3} \left(\frac{\sqrt{5}}{\sqrt{3}} - \sqrt{15} \right) - \sqrt{75} = a\sqrt{3} + b\sqrt{5}$ 일 때, $a + b$ 의 값을
구하여라. (단, a, b 는 유리수)



답: $a + b =$ _____

5. 다음 중 $\sqrt{18} + 2\sqrt{2} - \frac{2}{\sqrt{2}}$ 을 바르게 계산한 것은?

① $\sqrt{2}$

② $2\sqrt{2}$

③ $3\sqrt{2}$

④ $4\sqrt{2}$

⑤ $5\sqrt{2}$

6. $\sqrt{48} - 2\sqrt{3} - \frac{3}{\sqrt{27}}$ 을 간단히 하면?

① $-\frac{2}{3}\sqrt{3}$

② $-\frac{3}{4}\sqrt{3}$

③ $\frac{3}{4}\sqrt{3}$

④ $\frac{2}{3}\sqrt{3}$

⑤ $\frac{5}{3}\sqrt{3}$

7. $\frac{6}{\sqrt{12}} + \sqrt{48} \times (-\sqrt{3})^2$ 을 간단히 나타내면?

① $11\sqrt{3}$

② $13\sqrt{3}$

③ $15\sqrt{3}$

④ $-13\sqrt{3}$

⑤ $-15\sqrt{3}$

8. $\sqrt{8} - \frac{1}{\sqrt{18}} + \frac{1}{\sqrt{32}} = k\sqrt{2}$ 일 때, k 의 값은?

① 2

② $\frac{23}{12}$

③ $\frac{47}{24}$

④ 3

⑤ $\frac{57}{24}$

9. $\frac{4}{\sqrt{2}} - \sqrt{32} + \sqrt{\frac{1}{2}} = a\sqrt{2}$ 일 때, a 의 값을 구하면?

① $\frac{1}{2}$

② $-\frac{1}{2}$

③ 1

④ $-\frac{3}{2}$

⑤ $\frac{\sqrt{3}}{2}$

10. 다음 중 계산이 틀린 것은?

① $\sqrt{20} + 3\sqrt{45} = 11\sqrt{5}$

② $\sqrt{12} + \sqrt{27} = 5\sqrt{3}$

③ $\sqrt{7} - \sqrt{28} = -\sqrt{7}$

④ $\sqrt{6} + \sqrt{24} = 3\sqrt{6}$

⑤ $\frac{\sqrt{3}}{10} - \frac{2\sqrt{3}}{5} = -\frac{\sqrt{3}}{10}$

11. 다음 중 계산이 옳은 것은?

$$\textcircled{1} \quad \sqrt{50} + 3\sqrt{2} = 5\sqrt{2} + 3\sqrt{2} = 5\sqrt{5} + 8\sqrt{2}$$

$$\textcircled{2} \quad \frac{2\sqrt{6}}{3} - \sqrt{\frac{2}{3}} = \frac{2\sqrt{6}}{3} - \frac{\sqrt{2} \times \sqrt{3}}{\sqrt{3} \times \sqrt{3}} = \frac{2\sqrt{6}}{3} - \frac{\sqrt{6}}{3} = \frac{2\sqrt{6}}{3}$$

$$\textcircled{3} \quad 3\sqrt{12} - 4\sqrt{3} = 8\sqrt{3}$$

$$\textcircled{4} \quad \sqrt{32} - \frac{6}{\sqrt{2}} = \sqrt{2}$$

$$\textcircled{5} \quad \sqrt{12} + \sqrt{18} - 4\sqrt{2} = 2\sqrt{3} + 5\sqrt{2}$$

12. 다음 중 $3\sqrt{5}-\sqrt{20}+\sqrt{32}-2\sqrt{18}$ 을 간단히 하였을 때, 올바른 것은?

① $\sqrt{5}-2\sqrt{2}$

② $2\sqrt{5}+\sqrt{2}$

③ $\sqrt{5}+\sqrt{2}$

④ $2\sqrt{5}-\sqrt{2}$

⑤ $2\sqrt{5}-3\sqrt{2}$

13. $\sqrt{18} + \sqrt{48} - 2\sqrt{27} + 3\sqrt{50}$ 을 간단히 하면?

① $14\sqrt{2} + 4\sqrt{3}$

② $14\sqrt{2} - 4\sqrt{3}$

③ $18\sqrt{2} - 2\sqrt{3}$

④ $18\sqrt{2} + 2\sqrt{3}$

⑤ $24\sqrt{2} + 4\sqrt{3}$

14. 다음 식을 간단히 하면?

$$\frac{3}{\sqrt{2}} + \frac{5}{\sqrt{2}} - \sqrt{2}(2 + \sqrt{6})$$

① $\sqrt{2} - 2\sqrt{3}$

② $\sqrt{2} - \sqrt{3}$

③ $\sqrt{2} - 2$

④ $2\sqrt{2} - \sqrt{3}$

⑤ $2\sqrt{2} - 2\sqrt{3}$

15. $\frac{\sqrt{32}}{\sqrt{2}} - 3 = A$, $\frac{12}{\sqrt{3}} - \sqrt{12} = B$ 일 때, $A + \sqrt{2}B$ 의 값을 구하여라.



답: _____

16. $\sqrt{108} - \sqrt{48} - \sqrt{27} + \sqrt{24}$ 를 $a\sqrt{3} + b\sqrt{6}$ 의 꼴로 고칠 때, $a - b$ 의 값은?

① -3

② -1

③ 0

④ 1

⑤ 3

17. $\sqrt{192} - \sqrt{54} - \sqrt{108} + \sqrt{24}$ 를 $a\sqrt{3} + b\sqrt{6}$ 의 꼴로 고칠 때, $a - b$ 의 값을 구하면?

① 1

② 2

③ 3

④ 4

⑤ 5

18. $a = \sqrt{2}$, $b = \sqrt{3}$ 일 때, $\frac{3\sqrt{18}}{\sqrt{3}} + \sqrt{24}$ 를 a , b 로 나타내면?

① $6ab$

② $5ab$

③ $2a + 2b$

④ $3a + 2b$

⑤ $3a + 3b$

19. $a = \sqrt{2}$, $b = \sqrt{3}$ 일 때, $\sqrt{216} + \frac{\sqrt{24}}{\sqrt{2}}$ 를 a , b 로 나타내면?

① $6a + 2b$

② $6a + 2ab$

③ $6ab + 2b$

④ $2ab + 6b$

⑤ $2a + 6ab$

20. 다음 보기 중에서 옳은 것을 모두 고르면?

보기

㉠ $\frac{\sqrt{6}}{3} + \frac{\sqrt{6}}{2} - 2\sqrt{6} = -\frac{7\sqrt{6}}{6}$

㉡ $\frac{3\sqrt{2}}{2} + \frac{5\sqrt{2}}{2} - 2\sqrt{2} - 2\sqrt{3} = 2\sqrt{2} - \sqrt{3}$

㉢ $\frac{3\sqrt{2}}{4} - 3\sqrt{2} + \sqrt{32} = \frac{7\sqrt{2}}{4}$

㉤ $\sqrt{192} - \sqrt{54} - \sqrt{108} + \sqrt{24} = 2\sqrt{3} - \sqrt{6}$

① ㉠, ㉡

② ㉠, ㉡, ㉢

③ ㉠, ㉢

④ ㉠, ㉢, ㉤

⑤ ㉠, ㉡, ㉢, ㉤

21. 다음 식의 계산 결과가 틀린 것은?

① $\sqrt{24} + 5\sqrt{6} = 7\sqrt{6}$

② $\sqrt{12} + \sqrt{27} - \sqrt{48} = \sqrt{3}$

③ $\frac{\sqrt{5}}{3} - \frac{\sqrt{45}}{2} + \frac{\sqrt{5}}{6} = -\frac{\sqrt{5}}{6}$

④ $\sqrt{12} + \sqrt{50} - \sqrt{3} + 2\sqrt{2} = \sqrt{3} + 7\sqrt{2}$

⑤ $5\sqrt{3} + \frac{15}{\sqrt{3}} - 2\sqrt{75} = 0$

22. $\sqrt{3} - \frac{1}{\sqrt{3}} = k\sqrt{3}$ 일 때, k 의 값을 구하여라.



답: $k =$ _____

23. $\frac{4\sqrt{6}}{\sqrt{3}} + \sqrt{162}$ 를 간단히 하여라.



답:

24. $x = \frac{\sqrt{3} + \sqrt{2}}{3}, y = \frac{\sqrt{3} - \sqrt{2}}{3}$ 일 때, $\frac{x-y}{\sqrt{2}} + \frac{x+y}{\sqrt{3}}$ 값을 구하여라.



답:

25. $a = \frac{\sqrt{5} + \sqrt{3}}{2}$, $b = \frac{\sqrt{5} - \sqrt{3}}{2}$ 일 때, $\sqrt{5}(a + b) + \sqrt{3}(a - b)$ 를 구하여라.



답: _____

26. 다음 보기 중에서 옳은 것을 모두 골라라.

보기

㉠ $\sqrt{20} - \sqrt{45} + \sqrt{80} = -\sqrt{5} + \sqrt{10}$

㉡ $\sqrt{12} + \sqrt{48} + \sqrt{27} - \sqrt{75} = 4\sqrt{3}$

㉢ $\sqrt{32} - \sqrt{18} + \sqrt{3} - \sqrt{48} = \sqrt{2} - 3\sqrt{3}$

㉣ $\frac{5}{\sqrt{5}} - \frac{30}{\sqrt{45}} = -9\sqrt{5}$

㉤ $\sqrt{125} - \sqrt{5} - \frac{15}{\sqrt{5}} = 2\sqrt{5}$

 답: _____

 답: _____

27. 다음 보기 중에서 옳은 것을 모두 고르면?

보기

㉠ $\sqrt{10} - \sqrt{45} + \sqrt{40} = -\sqrt{5} + 3\sqrt{10}$

㉡ $\sqrt{24} + \sqrt{54} + \sqrt{27} - \sqrt{12} = 5\sqrt{6} + \sqrt{3}$

㉢ $\sqrt{18} - \sqrt{8} + \sqrt{48} - \sqrt{12} = \sqrt{2} + 2\sqrt{3}$

㉤ $\frac{3}{\sqrt{3}} - \frac{28}{\sqrt{28}} = \sqrt{3} - \sqrt{7}$

㉥ $\sqrt{80} - \sqrt{20} - \frac{10}{\sqrt{5}} = \sqrt{5}$

① ㉠, ㉡

② ㉠, ㉢

③ ㉡, ㉢

④ ㉡, ㉤

⑤ ㉢, ㉤

28. $\sqrt{45} + \sqrt{80} - k\sqrt{5} = 0$ 일 때, 유리수 k 의 값은?

① 5

② 6

③ 7

④ 8

⑤ 9

29. $\sqrt{2} = a$, $\sqrt{3} = b$ 라고 할 때, $\sqrt{8} + 2\sqrt{27} + \frac{6}{\sqrt{54}} - \frac{3}{\sqrt{18}}$ 을 a, b 를 이용하여 나타내면?

① $\frac{1}{2}a + 6b + \frac{1}{3}ab$

③ $\frac{5}{2}a + 6b + \frac{1}{3}ab$

⑤ $\frac{3}{2}a + 4b + \frac{1}{3}ab$

② $\frac{3}{2}a + 6b + \frac{1}{3}ab$

④ $\frac{1}{2}a + 4b + \frac{1}{3}ab$

30. $\sqrt{27} + \sqrt{2} \left(\frac{\sqrt{3}}{\sqrt{2}} - \sqrt{6} \right) - \sqrt{18} = a\sqrt{2} + b\sqrt{3}$ 일 때, $a + b$ 의 값을 구하여라.



답: $a + b =$ _____